





































ļ	DEFAULTPOSITION IX_P1 #BOB INFORM I WANT COFFEE HEIGHT_TALL DEFAULTPOSITION DEFAULTPOSITION Build Keys	-
	Gaze	Deixis
	ВВ	Sentence boundary
		Lexeme
	BOB inform I WANT COFF CHA	<b>V</b> iseme
		U Question
	joy	◯ Affect
	ROLE SHIFT LEFT	C Role shift
	K_     #BOB     INFORM     I     W     COF     HEIGHT_T	Gloss stream
	0.000 1.000 2.000 3.000 4.000 5.000 6.000 7.000 8.000	Add
	< >	







## Advantages

- No one linguistic process owns any anatomical feature.
- Utilizes existing structure of avatar's animation hierarchy.
- Additional computation burden is minimal.
- Each sub-bone supports its own linguistic process. Does not concern itself with neighboring processes.
- The number and function of the sub-bones is not set in stone. Can be dictated by the linguistic application.

## <section-header><section-header><list-item><list-item><list-item><list-item><list-item> Conclusion A new framework for layering linguistic processes. Capitalizes on existing avatar hierarchies. Provides flexibility in defining participating processes. Additional computational expense is negligible.



## Thank you

## Questions?

Visit us at http://asl.cs.depaul.edu

School of Computing

ntersity DePaul University